

Decorative

collection

GHIDINI & LUCITALIA
LIGHT IDEAS FOR BRIGHT IDEAS

GHIDINI &
LUCITALIA
LIGHT IDEAS FOR BRIGHT IDEAS

INDEX

Indoor

Suspension	KAPEL S	10
	BELL S	12
	QUEEN S	14
	MONTENAPOLEONE	16
	KETAMINA	18
	MOON	20
	MINIMA	22
	FLORIS S	28
	IRIS S	30
	CENTRO S	32
	STELO S	34
Ceiling	STELO C	38
	BOX C RD	40
	BOX C SQ	42
Wall	PRINCESS	46
	CUFFLINK	48
	CAGE	50
	ZERO	52
	THIN THIN W	54
	TALITHA W	56
Floor	THIN THIN F	60
	TALITHA F	62
	ZERO 2F	64
	PRAGMA INDOOR	66
	PRAGMA SHADE	68
Table	THIN THIN T	72
	TALITHA T	74
	LEM	76
	MACROKEIRA	78

Outdoor

Decorative plug & play	GENUS	82
	KENZIA	84
	PRAGMA OUTDOOR	86
	PHOEBE BATTERY	90
	PHOEBE	92

Decorativ indoor

DECORATIVE GHIDINI ITALIAN DESIGN COLLECTION

Hung like drops of light, pendant lamps transform the ceiling into a sky of possibilities, elevating the atmosphere with a touch of poetry.

SUSPENSION

Kapel 1S

Suspension - IP20



Design by Lucitalia Design

Bell S

Suspension - IP20





Design by Lucitalia Design

Queen S

Suspension - IP20



Design by Serge & Robert Cornelissen



Montenapoleone

Suspension - IP20



Design by Lucitalia Design



Ketamina

Suspension - IP20



Design by Gabi Peretto



Moon

Suspension - IP20



Design by Lucitalia Design

Minima

Suspension - IP20



Design by Lucitalia Design

Modular design.
Personalized illumination.



Design by Lucitalia Design

Craft Your Ambiance.

Your space, your rules. Our **modular suspension system** lets you design an atmosphere that resonates with your style. Mix, match, and let your imagination shine.

Compatible products:


Stelo S
Floris S
Centro S
Iris S

Innovate Your Lighting.

Transform the ordinary into extraordinary. With our elegant canopy and linear system, you can seamlessly integrate **multiple pendants**. Illuminate your world, your way.

Floris S

Suspension - IP20



Design by Lucitalia Design

Iris S

Suspension - IP20



Design by Lucitalia Design

Centro S

Suspension - IP20

Design by Antonio Lanzillo & Partners

Stelo S

Suspension - IP20

Design by Lucitalia Design

A breath of light that envelops, the ceiling lamp
infuses every space with timeless elegance,
making the beauty of the everyday shine.

CEILING

Stelo C

Ceiling - IP20

Design by Lucitalia Design

Box C RD

Ceiling - IP20



Design by Lucitalia Design

Box C SQ

Ceiling - IP20




Design by Lucitalia Design

A luminous embrace for the walls, wall lamps sculpt the darkness with grace, bestowing depth and character to every space.

WALL

Princess

Wall - IP20



Design by Francesco Brivio

Cufflink

Wall - IP20

Design by Serge & Robert Cornelissen

Cage

Wall - IP20



Design by Serge & Robert Cornelissen

Zero

Wall - IP20

Design by Francesco Brivio



ThinThin W

Wall - IP20





Design by Younique-Plus

Talitha W

Wall - IP20



Design by Younique-Plus



With their solemn presence, floor lamps shape spaces of reflection, inviting calm and contemplation in a delicate dance of shadows and light

FLOOR

ThinThin F

Floor - IP20





Design by Younique-Plus

Talitha F

Floor - IP20



Design by Younique-Plus



Zero 2 F

Floor - IP20

Design by Francesco Brivio

Pragma Indoor

Floor - IP20

Design by Francesco Brivio

Pragma Shade

Floor - IP20



Design by Francesco Brivio

A beacon of intimacy, the table lamp illuminates thoughts and glances, creating an atmosphere of dialogue and creativity, like poetry written in light.

TABLE

ThinThin T

Table - IP20



Design by Younique-Plus



Talitha T

Table - IP20





Design by Younique-Plus

Lem

Table - IP20



Design by Younique-Plus



Macrokeira

Table - IP20





Design by Younique-Plus

Decorative outdoor

Genus

Spike light - IP65





Design by Ghidini Design

Kenzia

Floor - IP66



Design by Antonio Lanzillo & Partners



Pragma outdoor

Floor - IP65



Design by Francesco Brivio

Design by Francesco Brivio



Blends ***efficiency***
and ***minimalist design***

PRAGMA CEILING



PRAGMA WALL

Phoebe battery

Table - IP65



Design by Younique-Plus



Phoebe


Floor - IP44



Design by Younique-Plus


Technical info

Photography by
Ottavio Tomasini
Germano Borrelli
Ghidini design studio




KAPEL S
Lucitalia design studio p.10

LL2720.36XXXXXEX - E27 - Max 30W - 220-240V - 50/60Hz



BELL 1S
Lucitalia design studio p.12

LL2700.36XXXXXEX - E27 - Max 30W - 220-240V - 50/60Hz




BELL 2S
Lucitalia design studio p.12

LL2710.36XXXXXEX - E27 - Max 30W - 220-240V - 50/60Hz



QUEEN 1S
design by Serge & Robert Cornelissen p.14

LL2120.36XXXXXEX - E27 Max 30W - 220-240V - 50/60Hz - **Push on request**
LL2120.BUXX300EN - 16.5W 3000K 2410lm - 220-240V - 50/60Hz - 78° **Dim on request**
LL2120.BUXX400EN - 16.5W 4000K 2592lm - 220-240V - 50/60Hz - 78° **Dim on request**
LL2120.CGXX300EN - 23.7W 3000K 3306 lm - 220-240V - 50/60Hz - 78° **Dim on request**
LL2120.CGXX400EN - 23.7W 4000K 3555lm - 220-240V - 50/60Hz - 78° **Dim on request**
LL2120.ECXX300EN - 31.3W 3000K 4166lm - 220-240V - 50/60Hz - 78° **Dim on request**
LL2120.ECXX400EN - 31.3W 4000K 4479lm - 220-240V - 50/60 Hz - 78° **Dim on request**




QUEEN 2S
design by Serge & Robert Cornelissen p.14

LL2130.36XXXXXEX - E27 Max 30W - 220-240V - 50/60Hz - **Push on request**
LL2130.CDXX300EN - 37.1W 3000K 4788lm - 220-240V - 50/60Hz - 78° **Dim on request**
LL2130.CDXX400EN - 37.1W 4000K 5149lm - 220-240V - 50/60 Hz - 78° **Dim on request**
LL2130.MMXX300EN -51.4W 3000K 6173lm- 220-240V - 50/60 Hz - 78° **Dim on request**
LL2130.MMXX400EN -51.4W 4000K 6639lm - 220-240V - 50/60 Hz - 78° **Dim on request**




MONTENAPOLEONE
Lucitalia design studio p.16

LL1000.36XXXXXEX - E27 - Max 30W - 220-240V - 50/60Hz




KETAMINA
design by Gabi Peretto p.18

LL0150.NAXX300EN - 65.6W 3000K 8096lm - 220-240V - 50/60Hz - 84° **Dim on request**
LL0150.NAXX400EN - 65.6W 4000K 9208lm - 220-240V - 50/60Hz - 84° **Dim on request**




MOON 1S 200
Lucitalia design studio p.20

LL0400.36XWXXXEX - E27 - Max 30W - 220-240V - 50/60Hz




MOON 2S 250
Lucitalia design studio p.20

LL0401.36XWXXXEX - E27 - Max 30W - 220-240V - 50/60Hz




MOON 3S 300
Lucitalia design studio p.20

LL0402.36XWXXXEX - E27 - Max 30W - 220-240V - 50/60Hz



MINIMA 2.5M
Lucitalia design studio p.22

LL2701.36XXXXXEX - E27 - Max 30W - 220-240V - 50/60Hz




MINIMA 10M
Lucitalia design studio p.22

LL2702.36XXXXXEX - E27 - Max 30W - 220-240V - 50/60Hz




FLORIS S
Lucitalia design studio p.28

LL0050.BGSX270EC - 3W 2700K 370lm - 500mA - 15° **Casambi,Dim based on driver**
LL0050.BGSX300EC - 3W 3000K 388lm - 500mA - 15° **Casambi,Dim based on driver**
LL0050.BGSX270EL - 3.2W 2700K 365lm - 24V DC - 15° **Casambi,Dim based on driver**
LL0050.BGSX300EL - 3.2W 3000K 378lm - 24V DC - 15° **Casambi,Dim based on driver**
LL0050.EHSX270EC - 5.7W 2700K 619lm - 900mA - 15° **Casambi,Dim based on driver**
LL0050.EHSX300EC - 5.7W 3000K 650lm - 900mA - 15° **Casambi,Dim based on driver**
LL0050.EHSX270EL - 5.1W 2700K 527lm - 24V DC - 15° **Casambi,Dim based on driver**
LL0050.EHSX300EL - 5.1W 3000K 547lm - 24V DC - 15° **Casambi,Dim based on driver**
LL0050.BGFX270EC - 3W 2700K 370lm - 500mA - 50° **Casambi,Dim based on driver**
LL0050.BGFX300EC - 3W 3000K 388lm - 500mA - 50° **Casambi,Dim based on driver**
LL0050.BGFX270EL - 3.2W 2700K 365lm - 24V DC - 50° **Casambi,Dim based on driver**
LL0050.BGFX300EL - 3.2W 3000K 378lm - 24V DC - 50° **Casambi,Dim based on driver**
LL0050.EHFX270EC - 5.7W 2700K 619lm - 900mA - 50° **Casambi,Dim based on driver**
LL0050.EHFX300EC - 5.7W 3000K 650lm - 900mA - 50° **Casambi,Dim based on driver**
LL0050.EHFX270EL - 5.1W 2700K 527lm - 24V DC - 50° **Casambi,Dim based on driver**
LL0050.EHFX300EL - 5.1W 3000K 547lm - 24V DC - 50° **Casambi,Dim based on driver**




IRIS S
Lucitalia design studio p.30

LL0055.BGSX270EC - 3W 2700K 370lm - 500mA - 15° **Casambi,Dim based on driver**
LL0055.BGSX300EC - 3W 3000K 388lm - 500mA - 15° **Casambi,Dim based on driver**
LL0055.BGSX270EL - 3.2W 2700K 365lm - 24V DC - 15° **Casambi,Dim based on driver**
LL0055.BGSX300EL - 3.2W 3000K 378lm - 24V DC - 15° **Casambi,Dim based on driver**
LL0055.EHSX270EC - 5.7W 2700K 619lm - 900mA - 15° **Casambi,Dim based on driver**
LL0055.EHSX300EC - 5.7W 3000K 650lm - 900mA - 15° **Casambi,Dim based on driver**
LL0055.EHSX270EL - 5.1W 2700K 527lm - 24V DC - 15° **Casambi,Dim based on driver**
LL0055.EHSX300EL - 5.1W 3000K 547lm - 24V DC - 15° **Casambi,Dim based on driver**
LL0055.BGFX270EC - 3W 2700K 370lm - 500mA - 50° **Casambi,Dim based on driver**
LL0055.BGFX300EC - 3W 3000K 388lm - 500mA - 50° **Casambi,Dim based on driver**
LL0055.BGFX270EL - 3.2W 2700K 365lm - 24V DC - 50° **Casambi,Dim based on driver**
LL0055.BGFX300EL - 3.2W 3000K 378lm - 24V DC - 50° **Casambi,Dim based on driver**
LL0055.EHFX270EC - 5.7W 2700K 619lm - 900mA - 50° **Casambi,Dim based on driver**
LL0055.EHFX300EC - 5.7W 3000K 650lm - 900mA - 50° **Casambi,Dim based on driver**
LL0055.EHFX270EL - 5.1W 2700K 527lm - 24V DC - 50° **Casambi,Dim based on driver**
LL0055.EHFX300EL - 5.1W 3000K 547lm - 24V DC - 50° **Casambi,Dim based on driver**



CENTRO 1S
design by Antonio Lanzillo & Partners p.32

LL0139.BGFT300EC - 3.2W 3000K 277lm - 1050mA - 36° **Dim based on driver**
LL0139.BGFT400EC - 3.2W 4000K 307 lm - 1050mA - 36° **Dim based on driver**
LL0139.AHFT300EC - 6W 3000K 845lm - 350mA - 55° **Dim based on driver**
LL0139.AHFT400EC - 6W 4000K 877lm - 350mA - 55° **Dim based on driver**




CENTRO 2S
design by Antonio Lanzillo & Partners p.32

LL0140.LVFT300EN - 8W 3000K 740lm - 220-240V - 50/60Hz - 65° **Push on request**
LL0140.LVFT400EN - 8W 4000K 790lm - 220-240V - 50/60Hz - 65° **Push on request**




STELO 00S 300 Ø35
Lucitalia design studio p.34

LL2321.43XTXXXEX - G9 - Max 10W - 220-240 V - 50/60 Hz
LL2321.BGST300EN - 4W 3000K 440lm 220-240V - 50/60 Hz - 25° **Dim on request**
LL2321.BGST400EN - 4W 4000K 475lm 220-240V - 50/60 Hz - 25° **Dim on request**
LL2321.BGFT300EN - 4W 3000K 440lm 220-240V - 50/60 Hz - 47° **Dim on request**
LL2321.BGFT400EN - 4W 4000K 475lm 220-240V - 50/60 Hz - 47° **Dim on request**



STELO 00S 600 Ø35
Lucitalia design studio p.34

LL2322.43XTXXXEX - G9 - Max 10W 215lm - 220-240V - 50/60Hz
LL2322.BGST300EN - 4W 3000K 440lm 220-240V - 50/60Hz - 25° **Dim on request**
LL2322.BGST400EN - 4W 4000K 475lm 220-240V - 50/60Hz - 25° **Dim on request**
LL2322.BGFT300EN - 4W 3000K 440lm 220-240V - 50/60Hz - 47° **Dim on request**
LL2322.BGFT400EN - 4W 4000K 475lm 220-240V - 50/60Hz - 47° **Dim on request**




STELO 00S 900 Ø35
Lucitalia design studio p.34

LL2803.43XTXXXEX - G9 - Max 10W - 220-240V - 50/60Hz
LL2803.BGST300EN - 4W 3000K 440lm 220-240V - 50/60Hz - 25° **Dim on request**
LL2803.BGST400EN - 4W 4000K 475lm 220-240V - 50/60Hz - 25° **Dim on request**
LL2803.BGFT300EN - 4W 3000K 440lm 220-240V - 50/60Hz - 47° **Dim on request**
LL2803.BGFT400EN - 4W 4000K 475lm 220-240V - 50/60Hz - 47° **Dim on request**



STELO 0S 300 Ø45
Lucitalia design studio p.34

LL2316.AHST300ET - 6.1W 3000K 791lm 220-240V - 50/60Hz - 18° **IGBT-TRIAC**
LL2316.AHST400ET - 6.1W 4000K 845lm 220-240V - 50/60Hz - 18° **IGBT-TRIAC**
LL2316.AHFT300ET - 6.1W 3000K 791lm 220-240V - 50/60Hz - 47° **IGBT-TRIAC**
LL2316.AHFT400ET - 6.1W 4000K 845lm 220-240V - 50/60Hz - 47° **IGBT-TRIAC**



STELO 0S 600 Ø45
Lucitalia design studio p.34

LL2317.AHST300ET - 6.1W 3000K 791lm 220-240V - 50/60Hz - 18° **IGBT-TRIAC**
LL2317.AHST400ET - 6.1W 4000K 845lm 220-240V - 50/60Hz - 18° **IGBT-TRIAC**
LL2317.AHFT300ET - 6.1W 3000K 791lm 220-240V - 50/60Hz - 47° **IGBT-TRIAC**
LL2317.AHFT400ET - 6.1W 4000K 845lm 220-240V - 50/60Hz - 47° **IGBT-TRIAC**



STELO 0S 900 Ø45
Lucitalia design studio p.34

LL2804.AHST300ET - 6.1W 3000K 791lm 220-240V - 50/60Hz - 18° **IGBT-TRIAC**
LL2804.AHST400ET - 6.1W 4000K 845lm 220-240V - 50/60Hz - 18° **IGBT-TRIAC**
LL2804.AHFT300ET - 6.1W 3000K 791lm 220-240V - 50/60Hz - 47° **IGBT-TRIAC**
LL2804.AHFT400ET - 6.1W 4000K 845lm 220-240V - 50/60Hz - 47° **IGBT-TRIAC**



STELO 1S 300 Ø62
Lucitalia design studio p.34

LL2318.47XTXXXEX - GU10 - Max 10W - 220-240V - 50/60Hz **Non dim**
LL2318.BRST300ET - 11.9W 3000K 1635lm 220-240V - 50/60Hz - 19° **IGBT-TRIAC**
LL2318.BRST400ET - 11.9W 4000K 1768m 220-240V - 50/60Hz - 19° **IGBT-TRIAC**
LL2318.BRMT300ET - 11.9W 3000K 1635lm 220-240V - 50/60Hz - 30° **IGBT-TRIAC**
LL2318.BRMT400ET - 11.9W 4000K 1768lm 220-240V - 50/60Hz - 30° **IGBT-TRIAC**




STELO 1S 600 Ø62
Lucitalia design studio p.34

LL2319.47XTXXXEX - GU10 - Max 10W 600lm - 220-240V - 50/60Hz **Non dim**
LL2319.BRST300ET - 11.9W 3000K 1635lm 220-240V - 50/60Hz - 19° **IGBT-TRIAC**
LL2319.BRST400ET - 11.9W 4000K 1768m 220-240V - 50/60Hz - 19° **IGBT-TRIAC**
LL2319.BRMT300ET - 11.9W 3000K 1635lm 220-240V - 50/60Hz - 30° **IGBT-TRIAC**
LL2319.BRMT400ET - 11.9W 4000K 1768lm 220-240V - 50/60Hz - 30° **IGBT-TRIAC**



STELO 1S 900 Ø62
Lucitalia design studio p.34

LL2805.47XTXXXEX - GU10 - Max 10W - 220-240V - 50/60Hz **Non dim**
LL2805.BRST300ET - 11.9W 3000K 1635lm 220-240V - 50/60Hz - 19° **IGBT-TRIAC**
LL2805.BRST400ET - 11.9W 4000K 1768m 220-240V - 50/60Hz - 19° **IGBT-TRIAC**
LL2805.BRMT300ET - 11.9W 3000K 1635lm 220-240V - 50/60Hz - 30° **IGBT-TRIAC**
LL2805.BRMT400ET - 11.9W 4000K 1768lm 220-240V - 50/60Hz - 30° **IGBT-TRIAC**



STELO 2S 300 Ø100
Lucitalia design studio p.34

LL2800.47XTXXXEX - GU10 - Max 10W - 220-240V - 50/60Hz
LL2800.BUST300EN - 16.5W 3000K 2410lm - 220-240V - 50/60Hz - 20° **Dim on request**
LL2800.BUST400EN - 16.5W 4000K 2592 lm - 220-240V - 50/60Hz - 20° **Dim on request**
LL2800.BUMT300EN - 16.5W 3000K 2410lm - 220-240V - 50/60Hz - 53° **Dim on request**
LL2800.BUMT400EN - 16.5W 4000K 2592lm - 220-240V - 50/60Hz - 53° **Dim on request**




STELO 2S 600 Ø100
Lucitalia design studio p.34

LL2801.47XTXXXEX - GU10 - Max 10W - 220-240V - 50/60Hz
LL2801.BUST300EN - 16.5W 3000K 2410lm - 220-240V - 50/60Hz - 20° **Dim on request**
LL2801.BUST400EN - 16.5W 4000K 2592 lm - 220-240V - 50/60Hz - 20° **Dim on request**
LL2801.BUFT300EN - 16.5W 3000K 2410lm - 220-240V - 50/60Hz - 53° **Dim on request**
LL2801.BUFT400EN - 16.5W 4000K 2592lm - 220-240V - 50/60Hz - 53° **Dim on request**




STELO 2S 900 Ø100
Lucitalia design studio p.34

LL2802.47XTXXXEX - GU10 - Max 10W - 220-240V - 50/60Hz
LL2802.BUST300EN - 16.5W 3000K 2410lm - 220-240V - 50/60Hz - 20° **Dim on request**
LL2802.BUST400EN - 16.5W 4000K 2592 lm - 220-240V - 50/60Hz - 20° **Dim on request**
LL2802.BUFT300EN - 16.5W 3000K 2410lm - 220-240V - 50/60Hz - 53° **Dim on request**
LL2802.BUFT400EN - 16.5W 4000K 2592lm - 220-240V - 50/60Hz - 53° **Dim on request**




STELO 3S 300 Ø150
Lucitalia design studio p.34

LL2806.CGST300EN - 23.7W 3000K 3306lm - 220-240V - 50/60Hz - 10° **Dim on request**
LL2806.CGST400EN - 23.7W 4000K 3555lm - 220-240V - 50/60Hz - 10° **Dim on request**
LL2806.CDST300EN - 37.1W 3000K 4788lm - 220-240V - 50/60Hz - 10° **Dim on request**
LL2806.CDST400EN - 37.1W 4000K 5149lm - 220-240V - 50/60Hz - 10° **Dim on request**
LL2806.CGMT300EN -23.7W 3000K 3306 lm - 220-240V - 50/60Hz - 32° **Dim on request**
LL2806.CGMT400EN -23.7W 4000K 3555lm - 220-240V - 50/60Hz - 32° **Dim on request**
LL2806.CDMT300EN -37.1W 3000K 4788lm - 220-240V - 50/60Hz - 32° **Dim on request**
LL2806.CDMT400EN -37.1W 4000K 5149lm - 220-240V - 50/60Hz - 32° **Dim on request**
LL2806.CGFT300EN - 23.7W 3000K 3306lm - 220-240V - 50/60Hz - 71° **Dim on request**
LL2806.CGFT400EN - 23.7W 3000K 3555lm - 220-240V - 50/60Hz - 71° **Dim on request**
LL2806.CDFT300EN - 37.1W 3000K 4788lm - 220-240V - 50/60Hz - 71° **Dim on request**
LL2806.CDFT400EN - 37.1W 4000K 5149lm - 220-240V - 50/60Hz - 71° **Dim on request**



STELO 3S 600 Ø150
Lucitalia design studio p.34

LL2860.CGST300EN - 23.7W 3000K 3306lm - 220-240V - 50/60Hz - 10° **Dim on request**
LL2860.CGST400EN - 23.7W 4000K 3555lm - 220-240V - 50/60Hz - 10° **Dim on request**
LL2860.CDST300EN - 37.1W 3000K 4788lm - 220-240V - 50/60Hz - 10° **Dim on request**
LL2860.CDST400EN - 37.1W 4000K 5149lm - 220-240V - 50/60Hz - 10° **Dim on request**
LL2860.CGMT300EN -23.7W 3000K 3306 lm - 220-240V - 50/60Hz - 32° **Dim on request**
LL2860.CGMT400EN -23.7W 4000K 3555lm - 220-240V - 50/60Hz - 32° **Dim on request**
LL2860.CDMT300EN -37.1W 3000K 4788lm - 220-240V - 50/60Hz - 32° **Dim on request**
LL2860.CDMT400EN -37.1W 4000K 5149lm - 220-240V - 50/60Hz - 32° **Dim on request**
LL2860.CGFT300EN - 23.7W 3000K 3306lm - 220-240V - 50/60Hz - 71° **Dim on request**
LL2860.CGFT400EN - 23.7W 4000K 3555lm - 220-240V - 50/60Hz - 71° **Dim on request**
LL2860.CDFT300EN - 37.1W 3000K 4788lm - 220-240V - 50/60Hz - 71° **Dim on request**
LL2860.CDFT400EN - 37.1W 4000K 5149lm - 220-240V - 50/60Hz - 71° **Dim on request**



STELO 3S 900 Ø150
Lucitalia design studio p.34

LL2861.CGST300EN - 23.7W 3000K 3306lm - 220-240V - 50/60Hz - 10° **Dim on request**
LL2861.CGST400EN - 23.7W 4000K 3555lm - 220-240V - 50/60Hz - 10° **Dim on request**
LL2861.CDST300EN - 37.1W 3000K 4788lm - 220-240V - 50/60Hz - 10° **Dim on request**
LL2861.CDST400EN - 37.1W 4000K 5149lm - 220-240V - 50/60Hz - 10° **Dim on request**
LL2861.CGMT300EN - 23.7W 3000K 3306 lm - 220-240V - 50/60Hz - 32° **Dim on request**
LL2861.CGMT400EN - 23,7W 4000K 3555lm - 220-240V - 50/60Hz - 32° **Dim on request**
LL2861.CDMT300EN - 37.1W 3000K 4788lm - 220-240V - 50/60Hz - 32° **Dim on request**
LL2861.CDMT400EN - 37.1W 4000K 5149lm - 220-240V - 50/60Hz - 32° **Dim on request**
LL2861.CDFT300EN - 37.1W 3000K 4788lm - 220-240V - 50/60Hz - 71° **Dim on request**
LL2861.CDFT400EN - 37.1W 4000K 5149lm - 220-240V - 50/60Hz - 71° **Dim on request**
LL2861.CGFT300EN - 23.7W 3000K 3306lm - 220-240V - 50/60Hz - 71° **Dim on request**
LL2861.CGFT400EN - 23.7W 3000K 3555lm - 220-240V - 50/60Hz - 71° **Dim on request**



STELO 00C 300 Ø35
Lucitalia design studio p.38

LL2325.43XTXXXEX - G9 - Max 10W - 220-240V - 50/60Hz
LL2325.BGST300EN - 4W 3000K 440lm 220-240V - 50/60Hz - 25° **Dim on request**
LL2325.BGST400EN - 4W 4000K 475lm 220-240V - 50/60Hz - 25° **Dim on request**
LL2325.BGFT300EN - 4W 3000K 440lm 220-240V - 50/60Hz - 47° **Dim on request**
LL2325.BGFT400EN - 4W 4000K 475lm 220-240V - 50/60Hz - 47° **Dim on request**



STELO 00C 600 Ø35
Lucitalia design studio p.38

LL2326.43XTXXXEX - G9 - Max 10W - 220-240V - 50/60Hz
LL2326.BGST300EN - 4W 3000K 440lm 220-240V - 50/60Hz - 25° **Dim on request**
LL2326.BGST400EN - 4W 4000K 475lm 220-240V - 50/60Hz - 25° **Dim on request**
LL2326.BGFT300EN - 4W 3000K 440lm 220-240V - 50/60Hz - 47° **Dim on request**
LL2326.BGFT400EN - 4W 4000K 475lm 220-240V - 50/60Hz - 47° **Dim on request**



STELO 00C 900 Ø35
Lucitalia design studio p.38

LL2327.43XTXXXEX - G9 - Max 10W - 220-240V - 50/60Hz
LL2327.BGST300EN - 4W 3000K 440lm 220-240V - 50/60Hz - 25° **Dim on request**
LL2327.BGST400EN - 4W 4000K 475lm 220-240V - 50/60Hz - 25° **Dim on request**
LL2327.BGFT300EN - 4W 3000K 440lm 220-240V - 50/60Hz - 47° **Dim on request**
LL2327.BGFT400EN - 4W 4000K 475lm 220-240V - 50/60Hz - 47° **Dim on request**

STELO 0C 300 Ø45
Lucitalia design studio p.38

LL2310.AHST300ET - 6.1W 3000K 791lm 220-240V - 50/60Hz - 18° **Casambi,IGBT-TRIAC**
LL2310.AHST400ET - 6.1W 4000K 845lm 220-240V - 50/60Hz - 18° **Casambi,IGBT-TRIAC**
LL2310.AHFT300ET - 6.1W 3000K 791lm 220-240V - 50/60Hz - 47° **Casambi,IGBT-TRIAC**
LL2310.AHFT400ET - 6.1W 4000K 845lm 220-240V - 50/60Hz - 47° **Casambi,IGBT-TRIAC**



STELO 0C 600 Ø45
Lucitalia design studio p.38

LL2311.AHST300ET - 6.1W 3000K 791lm 220-240V - 50/60Hz - 18° **Casambi,IGBT-TRIAC**
LL2311.AHST400ET - 6.1W 4000K 845lm 220-240V - 50/60Hz - 18° **Casambi,IGBT-TRIAC**
LL2311.AHFT300ET - 6.1W 3000K 791lm 220-240V - 50/60Hz - 47° **Casambi,IGBT-TRIAC**
LL2311.AHFT400ET - 6.1W 4000K 845lm 220-240V - 50/60Hz - 47° **Casambi,IGBT-TRIAC**



STELO 0C 900 Ø45
Lucitalia design studio p.38

LL2328.AHST300ET - 6.1W 3000K 791lm 220-240V - 50/60Hz - 18° **Casambi,IGBT-TRIAC**
LL2328.AHST400ET - 6.1W 4000K 845lm 220-240V - 50/60Hz - 18° **Casambi,IGBT-TRIAC**
LL2328.AHFT300ET - 6.1W 3000K 791lm 220-240V - 50/60Hz - 47° **Casambi,IGBT-TRIAC**
LL2328.AHFT400ET - 6.1W 4000K 845lm 220-240V - 50/60Hz - 47° **Casambi,IGBT-TRIAC**



STELO 1C 300 Ø62
Lucitalia design studio p.38

LL2312.47XTXXXEX - GU10 - Max 10W - 220-240V - 50/60Hz
LL2312.BRST300ET- 11.9W 3000K 1635lm - 220-240V - 50/60Hz - 19° **IGBT-TRIAC**
LL2312.BRST400ET - 11.9W 4000K 1768m - 220-240V - 50/60Hz - 19° **IGBT-TRIAC**
LL2312.BRMT300ET- 11.9W 3000K 1635lm - 220-240V - 50/60Hz - 30° **IGBT-TRIAC**
LL2312.BRMT400ET - 11.9W 4000K 1768lm - 220-240V - 50/60Hz - 30° **IGBT-TRIAC**



STELO 1C 600 Ø62
Lucitalia design studio p.38

LL2313.47XTXXXEX - GU10 - Max 10W - 220-240V - 50/60Hz
LL2313.BRST300ET- 11.9W 3000K 1635lm 220-240V - 50/60Hz - 19° **IGBT-TRIAC**
LL2313.BRST400ET - 11.9W 4000K 1768m 220-240V - 50/60Hz - 19° **IGBT-TRIAC**
LL2313.BRMT300ET- 11.9W 3000K 1635lm 220-240V - 50/60Hz - 30° **IGBT-TRIAC**
LL2313.BRMT400ET - 11.9W 4000K 1768lm 220-240V - 50/60Hz - 30° **IGBT-TRIAC**



STELO 1C 900 Ø62
Lucitalia design studio p.38

LL2329.47XTXXXEX - GU10 - Max 10W - 220-240V - 50/60Hz
LL2329.BRST300ET - 11.9W 3000K 1635lm 220-240V - 50/60 Hz - 19° **IGBT-TRIAC**
LL2329.BRST400ET - 11.9W 4000K 1768m 220-240V - 50/60 Hz - 19° **IGBT-TRIAC**
LL2329.BRMT300ET- 11.9W 3000K 1635lm 220-240V - 50/60 Hz - 30° **IGBT-TRIAC**
LL2329.BRMT400ET - 11.9W 4000K 1768lm 220-240V - 50/60 Hz - 30° **IGBT-TRIAC**



STELO 2C 300 Ø100
Lucitalia design studio p.38

LL2314.47XTXXXEX - GU10 - Max 10W - 220-240V - 50/60Hz
LL2314.BUST300EN - 16.5W 3000K 2410lm - 220-240V - 50/60Hz - 20° **Dim on request**
LL2314.BUST400EN - 16.5W 4000K 2592 lm - 220-240 V - 50/60Hz - 20° **Dim on request**
LL2314.BUFT300EN - 16.5W 3000K 2410lm - 220-240V - 50/60Hz - 53° **Dim on request**
LL2314.BUFT400EN - 16.5W 4000K 2592lm - 220-240V - 50/60Hz - 53° **Dim on request**



STELO 2C 600 Ø100
Lucitalia design studio p.38

LL2315.47XTXXXEX - GU10 - Max 10W - 220-240V - 50/60Hz
LL2315.BUST300EN - 16.5W 3000K 2410lm - 220-240V - 50/60 Hz - 20° **Dim on request**
LL2315.BUST400EN - 16.5W 4000K 2592 lm - 220-240V - 50/60Hz - 20° **Dim on request**
LL2315.BUFT300EN - 16.5W 3000K 2410lm - 220-240V - 50/60Hz - 53° **Dim on request**
LL2315.BUFT400EN - 16.5W 4000K 2592lm - 220-240V - 50/60Hz - 53° **Dim on request**




STELO 2C 900 Ø100
Lucitalia design studio p.38

LL2330.47XTXXXEX - GU10 - Max 10W - 220-240V - 50/60Hz
LL2330.BUST300EN - 16.5W 3000K 2410lm - 220-240V - 50/60Hz - 20° **Dim on request**
LL2330.BUST400EN - 16.5W 4000K 2592 lm - 220-240V - 50/60Hz - 20° **Dim on request**
LL2330.BUFT300EN - 16.5W 3000K 2410lm - 220-240V - 50/60Hz - 53° **Dim on request**
LL2330.BUFT400EN - 16.5W 4000K 2592lm - 220-240V - 50/60Hz - 53° **Dim on request**




STELO 3C 300 Ø150
Lucitalia design studio p.38

LL2867.CGST300EN - 23.7W 3000K 3306lm - 220-240V - 50/60Hz - 10° **Dim on request**
LL2867.CGST400EN - 23.7W 4000K 3555lm - 220-240V - 50/60Hz - 10° **Dim on request**
LL2867.CDST300EN - 37.1W 3000K 4788lm - 220-240V - 50/60Hz - 10° **Dim on request**
LL2867.CDST400EN - 37.1W 4000K 5149lm - 220-240V - 50/60Hz - 10° **Dim on request**
LL2867.CGMT300EN -23.7W 3000K 3306 lm - 220-240V - 50/60Hz - 32° **Dim on request**
LL2867.CGMT400EN- 23.7W 4000K 3555lm - 220-240V - 50/60Hz - 32° **Dim on request**
LL2867.CDMT300EN -37.1W 3000K 4788lm - 220-240V - 50/60Hz - 32° **Dim on request**
LL2867.CDMT400EN -37.1W 4000K 5149lm - 220-240V - 50/60Hz - 32° **Dim on request**
LL2867.CGFT300EN - 23.7W 3000K 3306lm - 220-240V - 50/60Hz - 71° **Dim on request**
LL2867.CGFT400EN - 23.7W 3000K 3555lm - 220-240V - 50/60Hz - 71° **Dim on request**
LL2867.CDFT300EN - 37.1W 3000K 4788lm - 220-240V - 50/60Hz - 71° **Dim on request**
LL2867.CDFT400EN - 37.1W 4000K 5149lm - 220-240V - 50/60Hz - 71° **Dim on request**



STELO 3C 600 Ø150
Lucitalia design studio p.38

LL2865.CGST300EN - 23.7W 3000K 3306lm - 220-240V - 50/60Hz - 10° **Dim on request**
LL2865.CGST400EN - 23.7W 4000K 3555lm - 220-240V - 50/60Hz - 10° **Dim on request**
LL2865.CDST300EN - 37.1W 3000K 4788lm - 220-240V - 50/60Hz - 10° **Dim on request**
LL2865.CDST400EN - 37.1W 4000K 5149lm - 220-240V - 50/60Hz - 10° **Dim on request**
LL2865.CGMT300EN -23.7W 3000K 3306 lm - 220-240V - 50/60Hz - 32° **Dim on request**
LL2865.CGMT400EN -23.7W 4000K 3555lm - 220-240V - 50/60Hz - 32° **Dim on request**
LL2865.CDMT300EN -37.1W 3000K 4788lm - 220-240V - 50/60Hz - 32° **Dim on request**
LL2865.CDMT400EN -37.1W 4000K 5149lm - 220-240V - 50/60Hz - 32° **Dim on request**
LL2865.CGFT300EN - 23.7W 3000K 3306lm - 220-240V - 50/60Hz - 71° **Dim on request**
LL2865.CGFT400EN - 23.7W 3000K 3555lm - 220-240V - 50/60Hz - 71° **Dim on request**
LL2865.CDFT300EN - 37.1W 3000K 4788lm - 220-240V - 50/60Hz - 71° **Dim on request**
LL2865.CDFT400EN - 37.1W 4000K 5149lm - 220-240V - 50/60Hz - 71° **Dim on request**




STELO 3C 900 Ø150
Lucitalia design studio p.38

LL2866.CGST300EN - 23.7W 3000K 3306lm - 220-240V - 50/60Hz - 10° **Dim on request**
LL2866.CGST400EN - 23.7W 4000K 3555lm - 220-240V - 50/60Hz - 10° **Dim on request**
LL2866.CDST300EN - 37.1W 3000K 4788lm - 220-240V - 50/60Hz - 10° **Dim on request**
LL2866.CDST400EN - 37.1W 4000K 5149lm - 220-240V - 50/60Hz - 10° **Dim on request**
LL2866.CGMT300EN -23.7W 3000K 3306 lm - 220-240V - 50/60Hz - 32° **Dim on request**
LL2866.CGMT400EN -23.7W 4000K 3555lm - 220-240V - 50/60Hz - 32° **Dim on request**
LL2866.CDMT300EN -37.1W 3000K 4788lm - 220-240V - 50/60Hz - 32° **Dim on request**
LL2866.CDMT400EN -37.1W 4000K 5149lm - 220-240V - 50/60Hz - 32° **Dim on request**
LL2866.CGFT300EN - 23.7W 3000K 3306lm - 220-240V - 50/60Hz - 71° **Dim on request**
LL2866.CGFT400EN - 23.7W 3000K 3555lm - 220-240V - 50/60Hz - 71° **Dim on request**
LL2866.CDFT300EN - 37.1W 3000K 4788lm - 220-240V - 50/60Hz - 71° **Dim on request**
LL2866.CDFT400EN - 37.1W 4000K 5149lm - 220-240V - 50/60Hz - 71° **Dim on request**




BOX 0C RD
Lucitalia design studio p.40

LL2510.BGFT300ET - 6W 3000K 540lm - 220-240V - 50/60Hz - 65° **IGBT-TRIAC**
LL2510.BGFT400ET - 6W 4000K 580lm - 220-240V - 50/60Hz - 65° **IGBT-TRIAC**



BOX 1C OR RD 100
Lucitalia design studio p.40

LL2090.45XXXXXEX - GU10 - Max 10W
LL2090.CAST300EN - 10W 3000K 1237lm - 220-240V - 50/60Hz - 19° **Dim on request**
LL2090.CAST400EN - 10W 4000K 1287lm - 220-240V - 50/60Hz - 19° **Dim on request**
LL2090.CAMT300EN -10W 3000K 1237lm - 220-240V - 50/60Hz - 40° **Dim on request**
LL2090.CAMT400EN -10W 4000K 1287lm - 220-240V - 50/60Hz - 40° **Dim on request**




BOX 2C OR RD 165
Lucitalia design studio p.40

LL2100.52XXXXXEN - G53 - Max 20W 930lm - 220-240V - 50/60Hz
LL2100.BUST300EN - 16.5W 3000K 2410lm - 220-240V - 50/60Hz - 18° **Dim on request**
LL2100.BUST400EN - 16.5W 4000K 2592lm - 220-240V - 50/60Hz - 18° **Dim on request**
LL2100.BUFT300EN - 16.5W 3000K 2410lm - 220-240V - 50/60Hz - 48° **Dim on request**
LL2100.BUFT400EN - 16.5W 4000K 2592lm - 220-240V - 50/60Hz - 48° **Dim on request**
LL2100.CGST300EN - 23.7W 3000K 3306lm - 220-240V - 50/60Hz - 18° **Dim on request**
LL2100.CGST400EN - 23.7W 4000K 3555lm - 220-240V - 50/60Hz - 18° **Dim on request**
LL2100.CGFT300EN - 23.7W 3000K 3306lm - 220-240V - 50/60Hz - 48° **Dim on request**
LL2100.CGFT400EN - 23.7W 4000K 3555lm - 220-240V - 50/60Hz - 48° **Dim on request**




BOX 0C SQ 60x60
Lucitalia design studio p.42

LL2511.BGFT300ET - 6W 3000K 540lm - 220-240V - 50/60Hz - 65° **IGBT-TRIAC**
LL2511.BGFT400ET - 6W 4000K 580lm - 220-240V - 50/60Hz - 65° **IGBT-TRIAC**




BOX 1C OR SQ 1L 100x100
Lucitalia design studio p.42

LL2091.45XXXXXEX - GU10 - Max 10W 600lm **Not dim**
LL2091.CAST300EN - 10W 3000K 1237lm - 220-240V - 50/60Hz - 19° **Dim on request**
LL2091.CAST400EN - 10W 4000K 1287lm - 220-240V - 50/60Hz - 19° **Dim on request**
LL2091.CAMT300EN -10W 3000K 1237lm - 220-240V - 50/60Hz - 40° **Dim on request**
LL2091.CAMT400EN -10W 4000K 1287lm - 220-240V - 50/60Hz - 40° **Dim on request**




BOX 1C OR SQ 2L 100x200
Lucitalia design studio p.42

LL2092.45XXXXXEX - 2x GU10 - Max 10W **Not dim**
LL2092.FGST300EN - 2x 10W 3000K 2x 1237lm - 220-240V - 50/60Hz - 19° **Not dim**
LL2092.FGST400EN - 2x 10W 4000K 2x 1287lm - 220-240V - 50/60Hz - 19° **Not dim**
LL2092.FGMT300EN - 2x 10W 3000K 2x 1237lm - 220-240V - 50/60Hz - 40° **Not dim**
LL2092.FGMT400EN - 2x 10W 4000K 2x 1287lm - 220-240V - 50/60Hz - 40° **Not dim**




BOX 1C OR SQ 3L 100x300
Lucitalia design studio p.42

LL2093.45XXXXXEX - 3x GU10 - Max 10W **Not dim**
LL2093.FNST300EN - 3x 10W 3000K 3x 1237lm - 220-240V - 50/60Hz - 19° **Not dim**
LL2093.FNST400EN - 3x 10W 4000K 3x 1287lm - 220-240V - 50/60Hz - 19° **Not dim**
LL2093.FNMT300EN - 3x 10W 3000K 3x 1237lm - 220-240V - 50/60Hz - 40° **Not dim**
LL2093.FNMT400EN - 3x 10W 4000K 3x 1287lm - 220-240V - 50/60Hz - 40° **Not dim**




BOX 1C OR SQ 4L 200x200
Lucitalia design studio p.42

LL2094.45XXXXXEX - 4x GU10 - Max 10W
LL2094.CDST300EN - 4x 10W 3000K 4x 1237lm - 220-240V - 50/60Hz - 19° **Not dim**
LL2094.CDST400EN - 4x 10W 4000K 4x 1287lm - 220-240V - 50/60Hz - 19° **Not dim**
LL2094.CDMT300EN -4x 10W 3000K 4x 1237lm - 220-240V - 50/60Hz - 40° **Not dim**
LL2094.CDMT400EN -4x 10W 4000K 4x 1287lm - 220-240V - 50/60Hz - 40° **Not dim**




BOX 2C OR SQ 1L 165x165
Lucitalia design studio p.42

LL2101.52XXXXXEN - G53 - Max 20W
LL2101.BUST300EN - 16.5W 3000K 2410lm - 220-240V - 50/60Hz - 18° **Dim on request**
LL2101.BUST400EN - 16.5W 4000 K 2592lm - 220-240V - 50/60Hz - 18° **Dim on request**
LL2101.BUFT300EN - 16.5W 3000K 2410lm - 220-240V - 50/60Hz - 48° **Dim on request**
LL2101.BUFT400EN - 16.5W 4000K 2592lm - 220-240V - 50/60Hz - 48° **Dim on request**
LL2101.CGST300EN - 23.7W 3000K 3306lm - 220-240V - 50/60Hz - 18° **Dim on request**
LL2101.CGST400EN - 23.7W 4000K 3555lm - 220-240V - 50/60Hz - 18° **Dim on request**
LL2101.CGFT300EN - 23.7W 3000K 3306lm - 220-240V - 50/60Hz - 48° **Dim on request**
LL2101.CGFT400EN - 23.7W 4000K 3555lm - 220-240V - 50/60Hz - 48° **Dim on request**




BOX 2C OR SQ 2L 165x320
Lucitalia design studio p.42

LL2102.52XXXXXEN - 2xG53 - Max 20W
LL2102.ENST300EN - 2x16.5W 3000K 2x2410lm - 220-240V - 50/60Hz - 18° **Dim on request**
LL2102.ENST400EN - 2x16.5W 4000K 2x2592lm - 220-240V - 50/60Hz - 18° **Dim on request**
LL2102.ENFT300EN - 2x16.5W 3000K 2x2410lm - 220-240V - 50/60Hz - 48° **Dim on request**
LL2102.ENFT400EN - 2x16.5W 4000K 2x2592lm - 220-240V - 50/60Hz - 48° **Dim on request**
LL2102.LFST300EN - 2x23.7W 3000K 2x3306lm - 220-240V - 50/60Hz - 18° **Dim on request**
LL2102.LFST400EN - 2x23.7W 4000K 2x3555lm - 220-240V - 50/60Hz - 18° **Dim on request**
LL2102.LFFT300EN - 2x23.7W 3000K 2x3306lm - 220-240V - 50/60Hz - 48° **Dim on request**
LL2102.LFFT400EN - 2x23.7W 4000K 2x3555lm - 220-240V - 50/60Hz - 48° **Dim on request**




BOX 2C OR SQ 3L 165x480
Lucitalia design studio p.42

LL2103.52XXXXXEN - 3xG53 - Max 20W
LL2103.HGST300EN - 3x16.5W 3000K 3x2410lm - 220-240V - 50/60Hz - 18° **Dim on request**
LL2103.HGST400EN - 3x16.5W 4000K 3x2592lm - 220-240V - 50/60Hz - 18° **Dim on request**
LL2103.HGFT300EN - 3x16.5W 3000K 3x2410lm - 220-240V - 50/60Hz - 48° **Dim on request**
LL2103.HGFT400EN - 3x16.5W 4000K 3x2592lm - 220-240V - 50/60Hz - 48° **Dim on request**
LL2103.MKST300EN - 3x23.7W 3000K 3x3306lm - 220-240V - 50/60Hz - 18° **Dim on request**
LL2103.MKST400EN - 3x23.7W 4000K 3x3555lm - 220-240V - 50/60Hz - 18° **Dim on request**
LL2103.MKFT300EN - 3x23.7W 3000K 3x3306lm - 220-240V - 50/60Hz - 48° **Dim on request**
LL2103.MKFT400EN - 3x23.7W 4000K 3x3555lm - 220-240V - 50/60Hz - 48° **Dim on request**




BOX 2C OR SQ 4L 320x320
Lucitalia design studio p.42

LL2104.52XXXXXEN - 4x G53 - Max 20W
LL2104.MZST300EN - 4x16.5W 3000K 4x2410lm - 220-240V - 50/60Hz - 18° **Not dim**
LL2104.MZFT300EN - 4x16.5W 3000K 4x2410lm - 220-240V - 50/60Hz - 48° **Dim on request**
LL2104.MWST300EN - 4x23.7W 3000K 4x3306lm - 220-240V - 50/60Hz - 18° **Dim on request**
LL2104.MKFT300EN - 4x23.7W 3000K 4x3306lm - 220-240V - 50/60Hz - 48° **Dim on request**
LL2104.MZST400EN - 4x16.5W 4000K 4x2592lm - 220-240V - 50/60Hz - 18° **Dim on request**
LL2104.MZFT400EN - 4x16.5W 4000K 4x2592lm - 220-240V - 50/60Hz - 48° **Not dim**
LL2104.MWST400EN - 4x23.7W 4000K 4x3555lm - 220-240V - 50/60Hz - 18° **Dim on request**
LL2104.MWFT400EN - 4x23.7W 4000K 4x3555lm - 220-240V - 50/60Hz - 48° **Dim on request**




PRINCESS 1
design by Francesco Brivio p.46

LL0529.34XXXXXEX - 2xE14 - Max 40W - 220-240V - 50/60Hz - 89° x 104° **Not dim**
LL0529.CAXX300EN - 2x5.8W 3000K 734lm - 220-240V - 50/60Hz - 120° **Not dim**
LL0529.CAXX400EN - 2x5.8W 4000K 778lm - 220-240V - 50/60Hz - 120° **Not dim**




PRINCESS 2
design by Francesco Brivio p.46

LL0530.34XXXXXEX - 2x E14 - Max 40W - 220-240V - 50/60Hz -120° **Not dim**
LL0530.LRXX300EN - 2x 8.7W 3000K 2x1101lm - 220-240V - 50/60Hz - 120° **Not dim**
LL0530.LRXX400EN - 2x 8.7W 4000K 2x1167lm - 220-240V - 50/60Hz - 120° **Not dim**
LL0530.BRXX300EN - 2x 12.9W 3000K 2x1479lm - 220-240V - 50/60Hz - 120° **Not dim**
LL0530.BRXX400EN - 2x 12.9W 4000K 2x1575lm - 220-240V - 50/60Hz - 120° **Not dim**




CUFFLINK
design by Serge & Robert Cornelissen p.48

LL2530.CAXO300EN -2x 3W 3000K 275lm - 220-240V - 50/60Hz -102° **Not dim**
LL2530.CAXO400EN -2x 3W 4000K 288lm - 220-240V - 50/60Hz -102° **Not dim**




CAGE 1
design by Serge & Robert Cornelissen p.50

LL2520.AHXO300EN -3.9W 3000K 570lm - 220-240V - 50/60Hz - 53° x 55° **Not dim**
LL2520.AHXO400EN -3.9W 4000K 600lm - 220-240V - 50/60Hz - 53° x 55° **Not dim**




CAGE 2
design by Serge & Robert Cornelissen p.50

LL2521.BRXO300EN - 8.2W 3000K 1012lm - 220-240V - 50/60Hz - 53° x 55° **Dim on request**
LL2521.BRXO400EN - 8.2 W 4000K 1151lm - 220-240V - 50/60Hz - 53° x 55° **Dim on request**



CAGE 3
design by Serge & Robert Cornelissen p.50

LL2522.BRXO300EN - 8.2W 3000K 1012lm - 220-240V - 50/60Hz - 53° x 55° **Dim on request**
LL2522.BRXO400EN - 8.2 W 4000K 1151lm - 220-240V - 50/60Hz - 53° x 55° **Dim on request**



ZERO 0 SR
design by Francesco Brivio p.52


LL2020.FAFO300ET - 10W 3000K 1425lm - 220-240V - 50/60Hz - 84° **IGBT-TRIAC**
LL2020.FAFO400ET - 10W 4000K 1470lm - 220-240V - 50/60Hz - 84° **IGBT-TRIAC**



ZERO 1 SR
design by Francesco Brivio p.52


LL2431.40XTXXXEX - R7S Max 15W - 220-240V - 50/60Hz - 85°x102°
LL2431.BUAT270EN - 16.5W 2700K 2262lm - 220-240V - 50/60Hz - 107°x104° **Not dim**
LL2431.BUAT300EN - 16.5W 3000K 2410lm - 220-240V - 50/60Hz - 107°x104° **Not dim**
LL2431.BUAT400EN - 16.5W 4000K 2592lm - 220-240V - 50/60Hz - 107°x104° **Not dim**
LL2431.BUAT270EC - 16.5W 2700K 2262lm - 500mA - 107°x104° **Dim based on driver**
LL2431.BUAT300EC - 16.5W 3000K 2410lm - 500mA - 107°x104° **Dim based on driver**
LL2431.BUAT400EC - 16.5W 4000K 2592lm - 500mA - 107°x104° **Dim based on driver**
LL2431.CGAT270EA - 23.7W 2700K 3102lm - 220-240V - 50/60Hz - 107°x104° **Dim 1-10V**
LL2431.CGAT300EA - 23.7W 3000K 3306lm - 220-240V - 50/60Hz - 107°x104° **Dim 1-10V**
LL2431.CGAT400EA - 23.7W 4000K 3555lm - 220-240V - 50/60Hz - 107°x104° **Dim 1-10V**
LL2431.CGAT270EP - 23.7W 2700K 3102lm - 220-240V - 50/60Hz - 107°x104° **Push**
LL2431.CGAT300EP - 23.7W 3000K 3306lm - 220-240V - 50/60Hz - 107°x104° **Push**
LL2431.CGAT400EP - 23.7W 4000K 3555lm - 220-240V - 50/60Hz - 107°x104° **Push**
LL2431.CGAT270EC- 23.7W 2700K 3102lm -700 mA - 107°x104° **Dim based on driver**
LL2431.CGAT300EC - 23.7W 3000K 3306lm - 700mA - 107°x104° **Dim based on driver**
LL2431.CGAT400EC - 23.7W 4000K 3555lm - 700mA - 107°x104° **Dim based on driver**
LL2431.CGAT270ET - 23.7W 2700K 3102lm - 220-240V - 50/60Hz - 107°x104° **IGBT-TRIAC**

LL2431.CGAT300ET - 23.7W 3000K 3306lm - 220-240V - 50/60Hz - 107°x104° **IGBT-TRIAC**
LL2431.CGAT400ET - 23.7W 4000K 3555lm - 220-240V - 50/60Hz - 107°x104° **IGBT-TRIAC**
LL2431.ECAT270EC - 31.3W 2700K 3909lm - 900mA - 107°x104° **Dim based on driver**
LL2431.ECAT300EC - 31.3W 3000 K 4166lm - 900mA - 107°x104° **Dim based on driver**
LL2431.ECAT400EC - 31.3W 4000K 4479lm - 900mA - 107°x104° **Dim based on driver**
LL2431.ECAT270ET - 31.3W 2700K 3909lm - 220-240V - 50/60Hz - 107°x104° **IGBT-TRIAC**
LL2431.ECAT300ET - 31.3W 3000K 4166lm - 220-240V - 50/60Hz - 107°x104° **IGBT-TRIAC**
LL2431.ECAT400ET - 31.3W 4000K 4479lm - 220-240V - 50/60Hz - 107°x104° **IGBT-TRIAC**




ZERO 1 SQ
design by Francesco Brivio p.52

LL2430.BUAT270EN - R7S Max 15W - 220-240V - 50/60Hz - 85°x102°
LL2430.BUAT300EN - 16.5W 2700K 2262lm - 220-240V - 50/60Hz - 107°x104° **Not dim**
LL2430.BUAT400EN - 16.5W 3000K 2410lm - 220-240V - 50/60Hz - 107°x104° **Not dim**
LL2430.BUAT270EC - 16.5W 4000K 2592lm - 220-240V - 50/60Hz - 107°x104° **Not dim**
LL2430.BUAT300EC - 16.5W 2700K 2262lm - 500mA - 107°x104° **Dim based on driver**
LL2430.BUAT400EC - 16.5W 3000K 2410lm - 500mA - 107°x104° **Dim based on driver**
LL2430.40XTXXXEX - 16.5W 4000K 2592lm - 500mA - 107°x104° **Dim based on driver**
LL2430.CGAT270EA - 23.7W 2700K 3102lm - 220-240V - 50/60Hz - 107°x104° **Dim 1-10V**
LL2430.CGAT300EA - 23.7W 3000K 3306lm - 220-240V - 50/60Hz - 107°x104° **Dim 1-10V**
LL2430.CGAT400EA - 23.7W 4000K 3555lm - 220-240V - 50/60Hz - 107°x104° **Dim 1-10V**
LL2430.CGAT270EP - 23.7W 2700K 3102lm - 220-240V - 50/60Hz - 107°x104° **Push**
LL2430.CGAT300EP - 23.7W 3000K 3306lm - 220-240V - 50/60Hz - 107°x104° **Push**
LL2430.CGAT400EP - 23.7W 4000K 3555lm - 220-240V - 50/60Hz - 107°x104° **Push**
LL2430.CGAT270EC- 23.7W 2700K 3102lm -700 mA - 107°x104° **Dim based on driver**
LL2430.CGAT300EC - 23.7W 3000K 3306lm - 700mA - 107°x104° **Dim based on driver**
LL2430.CGAT400EC - 23.7W 4000K 3555lm - 700mA - 107°x104° **Dim based on driver**
LL2430.CGAT270ET - 23.7W 2700K 3102lm - 220-240V - 50/60Hz - 107°x104° **IGBT-TRIAC**
LL2430.CGAT300ET - 23.7W 3000K 3306lm - 220-240V - 50/60Hz - 107°x104° **IGBT-TRIAC**
LL2430.CGAT400ET - 23.7W 4000K 3555lm - 220-240V - 50/60Hz - 107°x104° **IGBT-TRIAC**
LL2430.ECAT270EC - 23.7W 2700K 3909lm - 900mA - 107°x104° **Dim based on driver**
LL2430.ECAT300EC - 31.3W 3000 K 4166lm - 900mA - 107°x104° **Dim based on driver**
LL2430.ECAT400EC - 31.3W 4000K 4479lm - 900mA - 107°x104° **Dim based on driver**
LL2430.ECAT270ET - 31.3W 2700K 3909lm - 220-240V - 50/60Hz - 107°x104° **IGBT-TRIAC**
LL2430.ECAT300ET - 31.3W 3000K 4166lm - 220-240V - 50/60Hz - 107°x104° **IGBT-TRIAC**
LL2430.ECAT400ET - 31.3W 4000K 4479lm - 220-240V - 50/60Hz - 107°x104° **IGBT-TRIAC**




ZERO 1 FIXED
design by Francesco Brivio p.52

LL2340.40XTXXXEX - R7S Max 15W - 220-240V - 50/60Hz - 85°x102°
LL2340.BUAT270EN - 16.5W 2700K 2262lm - 220-240V - 50/60Hz - 107°x104° **Not dim**
LL2340.BUAT300EN - 16.5W 3000K 2410lm - 220-240V - 50/60Hz - 107°x104° **Not dim**
LL2340.BUAT400EN - 16.5W 4000K 2592lm - 220-240V - 50/60Hz - 107°x104° **Not dim**
LL2340.BUAT270EC - 16.5W 2700K 2262lm - 500mA - 107°x104° **Dim based on driver**
LL2340.BUAT300EC - 16.5W 3000K 2410lm - 500mA - 107°x104° **Dim based on driver**
LL2340.BUAT400EC - 16.5W 4000K 2592lm - 500mA - 107°x104° **Dim based on driver**
LL2340.CGAT270EA - 23.7W 2700K 3102lm - 220-240V - 50/60Hz - 107°x104° **Dim 1-10V**
LL2340.CGAT300EA - 23.7W 3000K 3306lm - 220-240V - 50/60Hz - 107°x104° **Dim 1-10V**
LL2340.CGAT400EA - 23.7W 4000K 3555lm - 220-240V - 50/60Hz - 107°x104° **Dim 1-10V**
LL2340.CGAT270EP - 23.7W 2700K 3102lm - 220-240V - 50/60Hz - 107°x104° **Push**
LL2340.CGAT300EP - 23.7W 3000K 3306lm - 220-240V - 50/60Hz - 107°x104° **Push**
LL2340.CGAT400EP - 23.7W 4000K 3555lm - 220-240V - 50/60Hz - 107°x104° **Push**
LL2340.CGAT270EC- 23.7W 2700K 3102lm -700 mA - 107°x104° **Dim based on driver**
LL2340.CGAT300EC - 23.7W 3000K 3306lm - 700mA - 107°x104° **Dim based on driver**
LL2340.CGAT400EC - 23.7W 4000K 3555lm - 700mA - 107°x104° **Dim based on driver**
LL2340.CGAT270ET - 23.7W 2700K 3102lm - 220-240V - 50/60Hz - 107°x104° **IGBT-TRIAC**
LL2340.CGAT300ET - 23.7W 3000K 3306lm - 220-240V - 50/60Hz - 107°x104° **IGBT-TRIAC**
LL2340.CGAT400ET - 23.7W 4000K 3555lm - 220-240V - 50/60Hz - 107°x104° **IGBT-TRIAC**
LL2340.ECAT270EC - 31.3W 2700K 3909lm - 900mA - 107°x104° **Dim based on driver**
LL2340.ECAT300EC - 31.3W 3000 K 4166lm - 900mA - 107°x104° **Dim based on driver**
LL2340.ECAT400EC - 31.3W 4000K 4479lm - 900mA - 107°x104° **Dim based on driver**
LL2340.ECAT270ET - 31.3W 2700K 3909lm - 220-240V - 50/60Hz - 107°x104° **IGBT-TRIAC**
LL2340.ECAT300ET - 31.3W 3000K 4166lm - 220-240V - 50/60Hz - 107°x104° **IGBT-TRIAC**
LL2340.ECAT400ET - 31.3W 4000K 4479lm - 220-240V - 50/60Hz - 107°x104° **IGBT-TRIAC**



ZERO 2 SR
design by Francesco Brivio p.52

LL2410.CGAT300EN - 23.7W 3000K 3306lm - 220-240V - 50/60Hz - 110° x 86° **Not dim**
LL2410.CGAT400EN - 23.7W 4000K 3555lm - 220-240V - 50/60Hz - 110° x 86° **Not dim**
LL2410.CGAT300ED - 23.7W 3000K 3306lm - 220-240V - 50/60Hz - 110° x 86° **Dim DALI 2 DT6**
LL2410.CGAT400ED - 23.7W 4000K 3555lm - 220-240V - 50/60Hz - 110° x 86° **Dim DALI 2 DT6**
LL2410.CGAT300EB - 23.7W 3000K 3306lm - 220-240V - 50/60Hz - 110° x 86° **Dim 1-10/Push**
LL2410.CGAT400EB - 23.7W 4000K 3555lm - 220-240V - 50/60Hz - 110° x 86° **Dim 1-10/Push**
LL2410.ECAT300EN - 31.3W 3000K 4166lm - 220-240V - 50/60Hz - 110° x 86° **Not dim**
LL2410.ECAT400EN - 31.3W 4000K 4479lm - 220-240V - 50/60Hz - 110° x 86° **Not dim**
LL2410.ECAT300EB - 31.3W 3000K 4166lm - 220-240 V - 50/60Hz - 110° x 86° **Dim 1-10/Push**
LL2410.ECAT400EB - 31.3W 4000K 4479lm - 220-240V - 50/60Hz - 110° x 86° **Dim 1-10/Push**




ZERO 2 SQ
design by Francesco Brivio p.52

LL2412.CGAT300EN - 23.7W 3000K 3306lm - 220-240V - 50/60Hz - 110° x 86° **Not dim**
LL2412.CGAT400EN - 23.7W 4000K 3555lm - 220-240V - 50/60Hz - 110° x 86° **Not dim**
LL2412.CGAT300ED - 23.7W 3000K 3306lm - 220-240V - 50/60Hz - 110° x 86° **Dim DALI 2 DT6**
LL2412.CGAT400ED - 23.7W 4000K 3555lm - 220-240V - 50/60Hz - 110° x 86° **Dim DALI 2 DT6**




ZERO 2 FIXED
design by Francesco Brivio p.52

LL2341.CGAT300EN - 23.7W 3000K 3306lm - 220-240V - 50/60Hz - 110° x 86° **Not dim**
LL2341.CGAT400EN - 23.7W 4000K 3555lm - 220-240V - 50/60Hz - 110° x 86° **Not dim**
LL2341.CGAT300ED - 23.7W 3000K 3306lm - 220-240V - 50/60Hz - 110° x 86° **Dim DALI 2 DT6**
LL2341.CGAT400ED - 23.7W 4000K 3555lm - 220-240V - 50/60Hz - 110° x 86° **Dim DALI 2 DT6**
LL2341.CGAT300EB - 23.7W 3000K 3306lm - 220-240V - 50/60Hz - 110° x 86° **Dim 1-10/Push**
LL2341.CGAT400EB - 23.7W 4000K 3555lm - 220-240V - 50/60Hz - 110° x 86° **Dim 1-10/Push**
LL2341.ECAT300EN - 31.3W 3000K 4166lm - 220-240V - 50/60Hz - 110° x 86° **Not dim**
LL2341.ECAT400EN - 31.3W 4000K 4479lm - 220-240V - 50/60Hz - 110° x 86° **Not dim**
LL2341.ECAT300EB - 31.3W 3000K 4166lm - 220-240 V - 50/60Hz - 110° x 86° **Dim 1-10/Push**
LL2341.ECAT400EB - 31.3W 4000K 4479lm - 220-240V - 50/60Hz - 110° x 86° **Dim 1-10/Push**




ZERO 2 FIXED 2L
design by Francesco Brivio p.52

LL2342.BUAT300EN - 2x 8.2W 3000K 1192lm - 220-240V - 50/60Hz - 91° **Dim on request**
LL2342.BUAT400EN - 2x 8.2W 4000K 1289lm - 220-240V - 50/60Hz - 91° **Dim on request**
LL2342.BUAT300EB - 2x 8.2W 3000K 1192lm - 220-240V - 50/60Hz - 91° **Dim 1-10/Push**
LL2342.BUAT400EB - 2x 8.2W 4000K 1289lm- 220-240V - 50/60Hz - 91° **Dim 1-10/Push**




ZERO 3 SR COMPACT
design by Francesco Brivio p.52

LL2250.CGAT300EN -23.7W 3000 K 3306lm - 220-240V - 50/60Hz - 110° x 86° **Dim on request**
LL2250.CGAT400EN -23.7W 4000K 3555lm - 220-240V - 50/60Hz - 110° x 86° **Dim on request**
LL2250.ACAT300EN - 37.1W 3000K 4788lm - 220-240V - 50/60Hz - 110° x 86° **Dim on request**
LL2250.ACAT400EN - 37.1W 4000K 5149 lm- 220-240V - 50/60Hz - 110° x 86° **Dim on request**
LL2250.MLAT300EN -51.4W 3000K 6173lm - 220-240V - 50/60Hz - 110° x 86° **Dim on request**
LL2250.MLAT400EN -51.4W 4000K 6639lm - 220-240V - 50/60Hz - 110° x 86° **Dim on request**




ZERO 3 COMPACT FIXED
design by Francesco Brivio p.52

LL2343.CGAT300EN - 23.7W 3000K 3306lm - 220-240V - 50/60Hz - 110° x 86° **Dim on request**
LL2343.CGAT400EN - 23.7W 4000K 3555lm - 220-240V - 50/60Hz - 110° x 86° **Dim on request**
LL2343.ACAT300EN - 37.1W 3000K 4788lm - 220-240V - 50/60Hz - 110° x 86° **Dim on request**
LL2343.ACAT400EN - 37.1W 4000K 5149lm -220-240V - 50/60Hz - 110° x 86° **Dim on request**
LL2343.MLAT300EN - 51.4W 3000K 6173lm - 220-240V - 50/60Hz - 110° x 86° **Dim on request**
LL2343.MLAT400EN - 51.4W 4000K 6639lm - 220-240V - 50/60Hz - 110° x 86° **Dim on request**




ZERO 3 COMPACT FIXED 2L
design by Francesco Brivio p.52

LL2344.CGAT300EN - 2x 11.4W 3000K 1474lm - 220-240V - 50/60Hz - 91° **Not dim**
LL2344.CGAT400EN - 2x 11.4W 4000K 1676lm - 220-240V - 50/60Hz - 91° **Not dim**
LL2344.CGAT300EB - 2x 11.4W 3000K 1474lm - 220-240V - 50/60Hz - 91° **Dim 1-10V**
LL2344.CGAT400EB - 2x 11.4W 4000K 1676lm - 220-240V - 50/60Hz - 91° **Dim 1-10V**



ZERO 3 SR
design by Francesco Brivio p.52

LL2251.MNAA300EN -62.6W 3000K 8332lm - 220-240V - 50/60Hz - 110° x 86° **Dim on request**
LL2251.MNAA400EN -62.6W 4000K 8958lm - 220-240V - 50/60Hz - 110° x 86° **Dim on request**
LL2251.NZAA300EN - 74.2W 3000K 9576lm - 220-240V - 50/60Hz - 110° x 86° **Dim on request**
LL2251.NZAA400EN - 74.2W 4000K 10298lm - 220-240V - 50/60Hz - 110° x 86° **Dim on request**



ZERO 3 SQ
design by Francesco Brivio p.52

LL2256.MNAA300EN -62.6W 3000K 8332lm - 220-240V - 50/60Hz - 110° x 86° **Dim on request**
LL2256.MNAA400EN -62.6W 4000K 8958lm - 220-240V - 50/60Hz - 110° x 86° **Dim on request**
LL2256.NZAA300EN - 74.2W 3000K 9576 lm - 220-240 V - 50/60Hz - 110° x 86° **Dim on request**
LL2256.NZAA400EN - 74.2W 4000K 10298lm - 220-240V - 50/60Hz - 110° x 86° **Dim on request**




ZERO 3 FIXED
design by Francesco Brivio p.52

LL2345.MNAA300EN -62.6W 3000K 8332lm - 220-240V - 50/60Hz - 110° x 86° **Dim on request**
LL2345.MNAA400EN -62.6W 4000K 8958lm - 220-240V - 50/60Hz - 110° x 86° **Dim on request**
LL2345.NZAA300EN - 74.2W 3000K 9576 lm - 220-240V - 50/60Hz - 110° x 86° **Dim on request**
LL2345.NZAA400EN - 74.2W 4000K 10298lm - 220-240V - 50/60Hz - 110° x 86° **Dim on request**




ZERO 3 FIXED 2L
design by Francesco Brivio p.52

LL2346.HGAA300EN- 2x16.4W 3000K 2024lm - 220-240V - 50/60Hz - 91° **Not dim**
LL2346.HGAA400EN- 2x16.4W 4000K 2302lm - 220-240V - 50/60Hz- 91° **Not dim**
LL2346.HGAA300EB- 2x16.4W 3000K 2024lm- 220-240V - 50/60Hz - 91° **Push**
LL2346.HGAA400EB- 2x16.4W 4000K 2302lm - 220-240V - 50/60Hz - 91° **Push**



ZERO KID
design by Francesco Brivio p.52

LL1177.BRXW300EN -11.6W 3000K 1468lm - 220-240V - 50/60 Hz - 90° **Not dim**
LL1177.BRXW400EN -11.6W 4000K 1556lm - 220-240 V - 50/60 Hz - 90° **Not dim**




ZERO KID DARK
design by Francesco Brivio p.52

LL1177.LVGT300EN - 8.5W 3000K 966lm - 220-240V - 50/60Hz - 16° **Push on request**
LL1177.LVGT400EN - 8.5W 4000K 1059lm - 220-240V - 50/60Hz -16° **Push on request**
LL1177.LVHT300EN - 8.5W 3000K 966lm - 220-240V - 50/60Hz - 36° **Push on request**
LL1177.LVHT400EN - 8.5W 4000K 1059lm - 220-240V - 50/60Hz - 36° **Push on request**
LL1177.LVPT300EN - 8.5W 3000K 966lm - 220-240V - 50/60Hz - 53° **Push on request**
LL1177.LVPT400EN - 8.5W 4000K 1059lm - 220-240V - 50/60Hz - 53° **Push on request**
LL1177.LVYT300EN - 8.5W 3000K 966lm - 220-240V - 50/60Hz - 44°x64° **Push on request**
LL1177.LVYT400EN - 8.5W 4000K 1059lm - 220-240V - 50/60Hz - 44°x64° **Push on request**
LL1177.BRGT300EN -12W 3000K 1379lm - 220-240V - 50/60Hz - 16° **Not dim**
LL1177.BRGT400EN -12W 4000K 1512lm - 220-240V - 50/60 Hz - 16° **Not dim**
LL1177.BRHT300EN -12W 3000K 1379lm - 220-240V - 50/60Hz - 36° **Not dim**
LL1177.BRHT400EN -12W 4000K 1512lm - 220-240V - 50/60Hz - 36° **Not dim**
LL1177.BRPT300EN -12W 3000K 1379lm - 220-240V - 50/60Hz - 53° **Not dim**
LL1177.BRPT400EN -12W 4000K 1512lm - 220-240V - 50/60Hz - 53° **Not dim**
LL1177.BRYT300EN -12W 3000K 1379lm - 220-240V - 50/60Hz - 44° x 64° **Not dim**
LL1177.BRYT400EN -12W 4000K 1512lm - 220-240V - 50/60Hz - 44° x 64° **Not dim**



ZERO 1 VERTI 1L
design by Francesco Brivio p.52

LL2450.BRAT300EN - 11.9W 3000K 1635lm - 220-240V - 50/60Hz - 89° x 104° **Dim on request**
LL2450.BRAT400EN - 11.9W 4000K 1768lm- 220-240V - 50/60Hz - 89° x 104° **Dim on request**



ZERO 1 VERTI 2L
design by Francesco Brivio p.52


LL2451.BRAT300EN - 2x8.2W 3000K 1192lm - 220-240V - 50/60Hz - 89° x 104° **Dim on request**
LL2451.BRAT400EN - 2x8.2W 4000K 1289lm - 220-240V - 50/60Hz - 89° x 104° **Dim on request**



THINTHIN W
design by Younique-Plus p.54


YP1155.LVXO300EH -9W 3000K 950lm - 220-240V - 50/60Hz **Dim touch**

Technical info




TALITHA W
design by Younique-Plus p.56

YP1015.45XXXXXEX -GU10 - Max 10W - 220-240V - 50/60 Hz




THINTHIN F 1200
design by Younique-Plus p.60

YP1145.LVXO300EH -9W 3000K 950lm - 220-240V - 50/60Hz **Dim touch**




THINTHIN F 1200
design by Younique-Plus p.60

YP1145.LVXO300EH -9W 3000K 950lm - 220-240V - 50/60Hz **Dim touch**




THINTHIN F 1400
design by Younique-Plus p.60

YP1150.LVXO300EH -9W 3000K 950lm - 220-240V - 50/60Hz **Dim touch**




TALITHA F 1200
design by Younique-Plus p.62

YP1005.45XXXXXEH -GU10 - Max 10W - 220-240V - 50/60Hz




TALITHA F 1400
design by Younique-Plus p.62

YP1010.45XXXXXEH -GU10 - Max 10W - 220-240V - 50/60Hz - 60°




ZERO 2F
design by Francesco Brivio p.64

LL2350.ECAT300EH- 31.3W 3000K 4166lm - 220-240V - 50/60 Hz - 110° x 86° **Dim 1-10V**
LL2350.ECAT400EH- 31.3W 4000K 4479lm - 220-240V - 50/60 Hz - 110° x 86° **Dim 1-10V**




PRAGMA INDOOR 800
design by Francesco Brivio p.66

LL1997.FAXT300ET - 11.1W 3000K 1 x 1745 lm - 50/60Hz - 53° x 55° **Not dim**




PRAGMA INDOOR 1400
design by Francesco Brivio p.66

LL1996.FAXT300ET- 11.1W 3000K 1 x 1745 lm - 50/60Hz - 53° x 55° **Not dim**




PRAGMA INDOOR 1700
design by Francesco Brivio p.66

LL1995.FAXT300ET - 11.1W 3000K 1 x 1745 lm - 50/60Hz - 53° x 55° **Not dim**




PRAGMA INDOOR SHADE 800
design by Francesco Brivio p.68

LL1997.FAXC300ET - 11.1W 3000K 1 x 1745 lm - 50/60Hz - 60° **Not dim**




PRAGMA INDOOR SHADE 1400
design by Francesco Brivio p.68

LL1996.FAXC300ET - 11.1W 3000K 1 x 1745 lm - 50/60Hz - 60° **Not dim**




PRAGMA INDOOR SHADE 1700
design by Francesco Brivio p.68

LL1995.FAXC300ET - 11.1W 3000K 1 x 1745 lm - 50/60Hz - 60° **Not dim**




THINTHIN T
design by Younique-Plus p.72

YP1140.LVXO300EH - 9W 3000K 950 lm - 220-240V - 50/60 Hz **Dim touch**



TALITHA T
design by Younique-Plus p.74


YP1000.45XXXXXEH - GU10 - Max 10W - 220-240V - 50/60Hz



LEM 200
design by Younique-Plus p.76

YP1044.36XOXXXEH - E27 - Max 30W - 220-240V - 50/60 Hz

Technical info



LEM 250
design by Younique-Plus p.76

YP1046.36XOXXXEH - E27 - Max 30W - 220-240V - 50/60Hz




LEM 300
design by Younique-Plus p.76

YP1048.36XOXXXEH - E27 - Max 30W - 220-240V - 50/60Hz




MACROKEIRA 250
design by Younique-Plus p.78

YP1040.36XOXXXEH - E27 - Max 30W - 220-240V - 50/60 Hz




MACROKEIRA 300
design by Younique-Plus p.78

YP1042.36XOXXXEH - E27 - Max 30W - 220-240V - 50/60Hz




GENUS 1000
Ghidini design studio p.82

GH0659.BAXO300EL - 1W 3000K - 24V DC




GENUS 1300
Ghidini design studio p.82

GH0660.BAXO300EL - 1W 3000K - 24V DC




GENUS 1600
Ghidini design studio p.82

GH0661.BAXO300EL - 1W 3000K - 24V DC




KENZIA 1400 PLUG & PLAY
design by Antonio Lanzillo & Partners p.84

GH1523.BRXW300EH- 12W 3000K 1300lm - 220-240V - 50/60 Hz - 114° **IGBT-TRIAC**
GH1523.BRXW400EH- 12 W 4000 K 1400lm - 220-240V - 50/60 Hz - 114° **IGBT-TRIAC**




KENZIA 2000 PLUG & PLAY
design by Antonio Lanzillo & Partners p.84

GH1524.BRXW300EH- 12W 3000K 1300lm - 220-240V - 50/60 Hz - 114° **IGBT-TRIAC**
GH1524.BRXW400EH- 12 W 4000 K 1400lm - 220-240V - 50/60 Hz - 114° **IGBT-TRIAC**



PRAGMA OUTDOOR 600
design by Francesco Brivio p.86

GH1973.FAXT300EN - 11.1W 3000K 1745lm - 220-240V - 50/60Hz - 60° **Not dim**




PRAGMA OUTDOOR 900
design by Francesco Brivio p.86

GH1974.FAXT300EN - 11.1W 3000K 1745lm - 220-240V - 50/60Hz - 60° **Not dim**




PRAGMA OUTDOOR 1400
design by Francesco Brivio p.86

GH1975.FAXT300EN - 11.1W 3000K 1745lm - 220-240V - 50/60Hz - 60° **Not dim**




PRAGMA OUTDOOR 1700
design by Francesco Brivio p.86

GH1976.FAXT300EN - 11.1W 3000K 1745lm - 220-240V - 50/60Hz - 60° **Not dim**




MINIPHOEBE BATTERY
design by Younique-Plus p.90

YP1550.ETXO300EM - 4.3W 2700K - 15V DC **Dim touch**



PHOEBE
design by Younique-Plus p.92

YP1180.BRXO300EN- 12W 3000 K 1378 lm - 220-240V - 50/60Hz **DALI on request**



MAXIPHOEBE
design by Younique-Plus p.92

YP1185.CGXO300EH- 29W 3000K 3203lm - 220-240V - 50/60Hz **DALI on request**

Finishes



.01 White (matt)



.02 Black (matt)



.05 Anthracite grey (matt)



.19 Light grey (matt)



.45 Corten (matt)



.80 Sand (matt)



.62 Antique grey (matt)



.26 Bronze (matt)



.83 Green (matt)



.65 Blue (matt)



.32 Oak



.30 Whitened oak effect



.33 Wenghè effect



.39 Nikel



.43 Concrete effect



.56 Gold



.25 White gold



.27 Black Gold



.71 White red



.72 Black red



.B1 Glossy white



.N1 Glossy black



.15 Stainless steel



.68 Natural bronze



.34 Glass



.V1 White glass



.V2 Black glass

*Restrictions may apply based on the product



Lighting the future with clean energy.

We believe that the future is bright, and for us that means a tomorrow sustained by clean energy.

The values that inspire us:

· **Passion for innovation:** We believe in researching and developing new technologies to improve our products and reduce our environmental impact.

· **Commitment to quality:** we offer the highest quality products that last, reducing the need for replacements and waste of resources.

· **Social responsibility:** we are committed to doing our part for a better future for all, protecting the planet and the people who inhabit it.

Visit us on
www.ghidini.it

Contact us or book
an appointment
+39 0308925625

Ghidini Lighting s.r.l.
Via Monsuello 211, 25065
Lumezzane (Brescia) Italy

GHIDINI &
LUCITALIA
LIGHT IDEAS FOR BRIGHT IDEAS